

## Index to Volume 18\*

### A

- Abbritti, G., 221-224
- Acetaminophen, pharmacokinetics of after overdose, 111-117
- Acetaminophen detoxification, use of hemodialysis for, 431-439
- Acetylcholinesterase (AChE) activity, of after hashish smoking, 385-387
- brain soluble, regional differences in after poisoning by isofluorophate in rats, 1443-1451
- N-Acetylcysteine, adsorption of by activated charcoal, 283-290
- Acheson, L. S., 517-519
- Acid-base balance, fetal, effect of maternal smoking on, 165-168
- Acidosis
- lactic, as a complication of papaverine overdose, 417-423
  - metabolic, in severe lye poisoning, 225-230
- Acrodermatitis enteropathica, clioquinol intoxication in the treatment of, 1427-1434
- Activated charcoal hemoperfusion. See Hemoperfusion, activated charcoal
- Addy, D. P., 169-173
- Adsorbents, in hemoperfusion, evaluation of, 1199-1211
- Adsorption
- in vitro, of aspirin by activated charcoal, effect of magnesium citrate on, 793-796
  - of methionine and N-acetylcysteine by activated charcoal, 283-290
- Affinity
- for EMIT methadone antibody, relationship between methadone structure and, 783-792
  - for EMIT oxazepam antibody, relationship between and benzodiazepine structure, 643-655
  - for RIA benzoylcegonine antibody, relationship between and cocaine structure, 773-782
- Agnelli, G., 221-224
- Akintonwa, A., 451-458
- Albouz, S., 1405-1409
- Algozzine, G., 793-796
- Aliphatic hydrocarbons, C<sub>5</sub>-C<sub>7</sub>, neurotoxicity and metabolites

\*This index contains the names of all contributors to Volume 18, 1981.

- [Aliphatic hydrocarbons]  
 of, used as glue solvents in shoe manufacture, 1357-1367
- Aliphatic nitriles, inhalation toxicology of acute exposure to, 991-1003
- Allain, P., 1285-1289
- Allen, L. V., 1043-1065
- Allen, R. E., 1015-1020
- Alpha blockers, in daunomycin cardiotoxicity, 1435-1440
- Amand, G., 1257-1267
- Amantini, C., 1357-1367
- Amines, relationship between structure and reactivity of with RIA amphetamine antibody, 299-316
- Amin-zaki, L., 1311-1318
- Amitriptyline, fatal intoxication, clinical findings, elimination pharmacokinetics, and tissue drug concentrations following, 119-125
- Ammendola, A., 1369-1375
- Amphetamine antibody  
 EMIT, relationship between and molecular structure of various amphetamine-related substances, 91-110  
 RIA, relationship between structure and reactivity of amines with, 299-316
- Amphetamine-related substances, relationship between molecular structure of and EMIT amphetamine antibody, 91-110
- Analgesics, narcotic  
 in vivo interaction between and nitrogen mustard, 451-458  
 placental transfer of, 911-914
- Angozzi, G., 1299-1309
- Aniline, O., 1015-1020
- Animals, review of Lantana toxicity in, 1077-1094
- Antibody  
 EMIT methadone, relationship between methadone structure and affinity for, 783-792  
 EMIT oxazepam, relationship of benzodiazepine structure to affinity for, 643-655  
 RIA benzoylcegonine, relationship between cocaine structure and affinity with, 773-782
- Antidepressant, tricyclic (TCA)  
 incidence of late arrhythmias following overdose of, 543-548  
 overdose of, cardiac arrhythmias and ECG abnormalities in, 155-163  
 relationship between neurological and cardiac findings and between drug levels and toxicity following overdose of, 599-613  
 toxicological properties of, related to xylazine, 663-678  
 See also Amitriptyline
- Antidotal effect, of sodium sulfate and sodium sulfate plus activated charcoal, 865-871
- Antidotal uses, of activated charcoal, 657-658
- Antidotes, oral, for acetaminophen poisoning: adsorption of methionine and N-acetylcysteine by activated charcoal, 283-290
- Antihistamines. See Chlorpheniramine, Pyrilamine
- Antineoplastic agents. See Nitrogen mustard
- Antipoison centers, role of in preventing epidemic intoxications, 1163-1167
- Apomorphine, stable parenteral solution of, 763-772
- Arditti, J., 1163-1167; 1485-1498
- Arrhythmias, late, incidence of following tricyclic antidepressant overdose, 543-548
- Arsenic, metabolism of in humans, related to duration of BAL therapy, 1065-1075
- Arsenite, intracellular interaction

[Arsenite]

- and metabolic fate of in rabbits, 1335-1342
- Aspirin, in vitro adsorption of by activated charcoal, effect of magnesium citrate on, 793-796
- Assennato, G., 1269-1276
- Atzpodien, W., 225-230

B

- Bacciconi, M., 1129-1131
- BAL therapy, duration of, relationship of to arsenic metabolism in humans, 1067-1075
- Barbital, effect of activated charcoal hemoperfusion on in dogs poisoned with, 1105-1115
- Barbiturates
  - differentiation and quantification of by ultraviolet spectrophotometry, 879-885
  - relationship between structure and RIA activity of, 317-352
  - See also Drugs, sedative-hypnotic
- Barbiturate preparations, veterinary, distribution of in human subjects, 965-968
- Barin, C., 1277-1283
- Barrufo, L., 1369-1375
- Baselt, R. C., 935-939
- Basset, P., 493-499
- Batrachotoxin (BTX), review of and other nonprotein neurotoxins, 813-863
- Baumann, N., 1405-1409
- Bellomo, R., 1269-1276
- Bennett, W. M., 615-618
- Benzodiazepine, relationship of structural differences to affinity for EMIT oxazepam antibody, 643-655
- Bergerat, J. P., 483-499
- Bernardini, C., 1435-1440
- Bernat, M., 1285-1289

- Bertolero, F., 1335-1342
- Beyers, J., III, 459-469
- Bhargava, H. N., 175-188
- Bierbach, H., 225-230
- Bilirubin content, of cow calves affected by lantana poisoning, 25-35
- Binding characteristics, of bismuth in human serum, 1291-1298
- Biological evaluation of hemoperfusion in acute poisoning, 1213-1223
- Biological fluids, detection and quantification of cannabinoids in, 565-571
- Biotoxicology, marine, defined, 1-24
- Bismuth, C., 1213-1223
- Bismuth
  - epidemiological study of encephalopathies following administration of, 1277-1283
  - in human serum, binding characteristics of, 1291-1298
- Bismuth metabolism, investigation of and its effect of endogenous compounds in rats, 1291-1298
- Bisso, G. M., 1443-1451
- Blandina, P., 1021-1026; 1157-1162
- Blood
  - determination of tin in by neutron activation analysis, 1343-1353
  - measurement of toluene in, in solvent abuse, 471-479
  - stored, stability of phencyclidine in, 929-934
- Boisaubin, E. V., 581-597
- Boisseau, V., 743-751
- Bono, F., 1343-1353
- Boudet, L., 565-571
- Boutry, J. M., 1405-1409
- Bower, D. J., 813-863
- Boyd, S. D., 489-491
- Bravaccio, F., 1369-1375
- Breath, measurement of toluene

## [Breath]

- in, in solvent abuse, 471-479
- Bregman, D. J., 1027-1032
- Bricker, J. D., 261-266; 267-271
- 4-Bromo-2,5-dimethoxyamphetamine, fatality due to, 267-271
- Brown, J. K., 511-513
- Bruaux, P., 1257-1267
- Bruce, W., 797-801
- Brugnone, F., 1357-1367; 1377-1385
- Brunelli, G. F., 1129-1131
- BTX. See Batrachotoxin (BTX)
- Buchet, J. P., 1067-1075; 1257-1267
- Budd, R. D., 85-90; 91-110; 299-316; 317-352; 643-655; 773-782; 783-792; 1033-1041
- Buffoni, L., 1149-1156
- Burckart, G. J., 797-801
- Burns, hydrofluoric acid, effectiveness of calcium salts compared with magnesium salts in treatment of, 1027-1032

## C

- Cade, J. R., 431-439
- Cadmium, organ and subcellular distribution of mercury in rats in the presence of, 1327-1334
- Calcium salts, effectiveness of compared to magnesium salts in treatment of hydrofluoric acid burns, 1027-1032
- Camerino, D., 1299-1309
- Candial vulvovaginitis, comparison of clotrimazole with other compounds used for, 41-45
- Cannabinoids, detection and quantification of in biological fluids, 565-571
- Capuzzo, M., 1133-1143
- Carbamazepine, acute poisoning by, 935-939
- Carbon disulfide neuropathy experimentally induced, effect of gangliosides on, in the rat, 1475-1484
- morphological and ultrastructural study of degeneration and regeneration in, in the rat, 1463-1474
- Carboxyhemoglobin, effect of maternal smoking on levels of in the fetus, 165-168
- Carcinogenicity, of dichlorvos, in animals, 47-84
- Carcinogens, report on from the Department of Health and Human Resources, 875-877
- Cardiac arrhythmias, in tricyclic antidepressant overdose, 155-163
- Cardiotoxicity
  - daunomycin, noradrenaline and alpha blockers in, 1435-1440
  - relationship between and neurotoxicity following overdose of tricyclic antidepressants, 599-613
- Carlmagno, S., 1369-1375
- Cassitto, M. G., 1299-1309
- Castano, P., 1463-1474; 1475-1484
- Catecholamines, effect of charcoal hemoperfusion on levels of in severely intoxicated patients, 127-131
- Central nervous system (CNS) toxicity
  - of chickling pea, 1513-1517
  - of essential plant oils, 1485-1498
- Cerebrospinal fluid (CSF), trace elements in, in neurological diseases, 1237-1245
- Chandra, S. V., 407-416
- Charcoal, activated
  - adsorption of oral methionine and N-acetylcysteine by,

- [Charcoal, activated]  
283-290  
antidotal and other medical  
uses for, 657-658  
effect of magnesium citrate  
on in vitro adsorption of  
aspirin by, 793-796  
influence of sodium sulfate on  
antidotal effect of, 865-871  
Charette, C., 713-729  
Chase, H. P., 211-220  
Chemical hazards, international  
program for control of, 761-  
762  
Chemical structure, of marine  
plant and animal poisons,  
1-24  
Chemical test papers, use of for  
clinical laboratory, 619-633  
Cherry, E. J., 959-963  
Chickling pea, CNS toxicity of,  
1513-1517  
Child, two-month-old, nonacci-  
dental poisoning in, 37-40  
Children  
asymptomatic, lead neurotox-  
icity in, living near an ore  
smelter, 1257-1267  
clonidine poisoning in, 169-  
173  
epidemiological studies of poi-  
soning in, 1145-1148  
10-year study of, 1149-1156  
ingestion of lead arsenate by,  
489-491  
with cystic fibrosis, selenium  
toxicity in, 211-220  
young, salicylate toxicity fol-  
lowing therapeutic doses in,  
247-259; 1125-1126  
Chin, L., 865-871  
Chloroquine, overdose fatality,  
959-963  
Chlorpheniramine, tissue concen-  
trations, detection and quan-  
tification of following a  
fatality due to, 941-943  
Chlorpromazine, neutropenia fol-  
lowing acute ingestion of,  
797-801  
Chmielnicka, J., 1327-1334  
Cholecystography, oral, with  
lopanoic acid, thrombocyto-  
penia following, 221-224  
Cholinesterase. See Pseudo-  
cholinesterase  
Chromatography, thin-layer  
(TLC), mass screening and  
confirmation of phencycli-  
dine in urine by and radio-  
immunoassay, 85-90  
Cima, L., 1129-1131; 1133-1143  
Claeys-Thoreau, F., 1257-1267  
Clardy, D. O., 929-934; 945-957  
Clark, M. N., 807-811  
Clarkson, T. W., 1311-1318  
Clinical course, correlation of  
and serum pseudocholinester-  
ase in patients poisoned with  
organophosphate insecticides,  
401-406  
Clinical findings, following fatal  
amitriptyline intoxication,  
119-125  
Clinical laboratory, use of chemi-  
cal test papers for, 619-633  
Clinical manifestations, of cyanide  
poisoning, 367-383  
Clinical toxicology  
of clotrimazole, 41-45  
in Uruguay, 635-641  
Clioquinol intoxication, in the  
treatment of acroderatitis  
enteropathica and SMON,  
1427-1434  
Clonidine  
comparison of with naloxone for  
opiate detoxication, 1021-1026  
poisoning with, in children, 169-  
173  
toxicological properties of, related  
to xylazine, 663-668  
Clotrimazole, clinical toxicology  
of and comparison with other  
compounds used for candidal  
vulvovaginitis, 41-45  
CNS. See Central nervous system  
Cobb, C. F., 149-154  
Cocaine  
fatalities from overdoses of in

## [Cocaine]

- Los Angeles County, 895-905  
 relationship between structure of and affinity with RIA benzoylcegonine antibody, 773-782  
 Cohen, J. L., 501-510  
 Cohn, D. F., 1513-1517  
 Collom, W. D., 267-271  
 Colombi, A., 1463-1474; 1475-1484  
 Colorimetric test, for detection of PCC in illicit phencyclidine, 737-742  
 Combs, H. F., 763-772  
 Comstock, B. S., 581-597  
 Comstock, E. G., 133-140; 231-239; 581-597; 635-641  
 Confirmation, of phencyclidine in urine by radioimmunoassay and TLC, 85-90  
 Consultation, noninteractive emergency, for acute intoxication, 133-140  
 Cooney, D. O., book review, 657-658  
 Copper, organ and subcellular distribution of mercury in rats in the presence of, 1327-1334  
 Corby, D. G., 763-772  
 Cost effectiveness, of drug screening in the laboratory, 459-469  
 Cotton, E. K., 211-220  
 Coutselinis, A., 385-387; 1095-1097  
 Cow calves, lantana poisoned, osmotic fragility of erythrocytes and bilirubin content of, 25-35  
 Cravey, R. H., 887-893; 911-914  
 Criteria, for selective screening for lead poisoning, 743-751  
 CSF. See Cerebrospinal fluid (CSF)  
 Curnow, R. T., 441-449  
 Curoe, J., 471-479  
 Curradi, F., 221-224  
 Current literature, on medical toxicology, 231-239  
 Curtes, J. P., 1453-1462  
 Cyanide intoxication, physiological aspects of and treatment of with hydrocobalamin, 1519-1527  
 Cyanide poisoning, pathophysiology, exposure sources, clinical manifestations, and treatment of, 367-383  
 Cyclophosphamide. See Nitrogen mustard  
 Cystic fibrosis, toxicity of selenium in children with, 211-220
- D
- 2,4-D, clinical features and management of poisoning with, 273-276  
 Dabbagh, A. R., 1311-1318  
 DAU. See Drug abuse urine (DAU) assay  
 Daunomycin cardiotoxicity, noradrenaline and alpha blockers in, 1435-1440  
 David, J. M., 1163-1167  
 Davila, J., 353-366  
 Dawar, R. K., 1077-1094  
 De Bray, J. M., 1285-1289  
 De Broe, M. E., 127-131  
 Decedo, H., 635-641  
 Decker, W. J., 763-772; 1099-1104  
 De Garbino, J. P., 635-641  
 De Groot, G., 1199-1211  
 De La Garza, F., 471-479  
 Del Tacca, M., 1435-1440  
 De Paschale, G., 1475-1484  
 Dershowitz, R. A., 969-972  
 De Santis, L., 1149-1156  
 Desideri, E., 1299-1309  
 Detection  
   of cannabinoids in biological fluids, 565-571  
   of chlorpheniramine following fatal ingestion, 941-943

- Detergents, liquid, emergency induction of emesis using, 277-282
- Detoxification, acetaminophen, use of hemodialysis for, 431-439
- Develay, P., 1453-1462
- Devos, D. M., 659-662
- Dewar, A. J., 1411-1426
- Dextraze, P. G., 291-297
- Diabetes mellitus, associated with autonomic and peripheral neuropathy after Vacor rodenticide poisoning, 441-449
- Diamond, L., 291-297
- Dibenzapines. See Antidepressants, tricyclic
- Dichlorvos (2,2-dichlorovinyl dimethyl phosphate), review of studies on carcinogenicity of in animals, 47-84
- Dicuonzo, F., 1269-1276
- Differentiation, of barbiturates by ultraviolet spectrophotometry, 879-885
- Digitalis glucosides. See Digitoxin
- Digitoxin, acute poisoning with, therapeutic possibilities for, 679-692
- Digoxin, use of radioimmunoassay in forensic investigations of tissue distribution of, 887-893
- Dimethylsulfoxide (DMSO), nephrotoxicity of, 615-618
- Diphenylhydantoin (DP), teratogenic effects of, 1095-1097
- Diuresis, potassium chloride, effectiveness of for treatment of thallium ingestion, 521-525
- DMSO. See Dimethylsulfoxide (DMSO)
- Do-Cao-Thang, 565-571
- Doering, P. L., 793-796
- Done, A. K., 1125-1126
- DP. See Diphenylhydantoin (DP)
- Drinking water, overfluoridation of, mass intoxication from, 531-541
- Drug abuse urine (DAU) assay, EMIT, specificity of, 1043-1065
- Drug concentrations, tissue, following fatal amitriptyline intoxication, 119-125
- Drug deaths, in St. Louis City and County, survey of, 1977-1979, 141-147
- Drug levels, relationship between and toxicity following overdose of tricyclic antidepressants, 599-613
- Drug mixtures. See Drugs, sedative-hypnotic
- Drugs  
neutral. See Drugs, sedative-hypnotic  
sedative-hypnotic, testing for in the impaired driver, 945-957
- Drug screening, cost effectiveness of in the laboratory, 459-469
- Drug therapy, Mexican, 511-513
- Ducoffre, G., 1257-1267
- Dulik, D. M., 737-742
- E
- ECDIN. See Environmental Chemicals Data and Information Network
- ECG abnormalities, in tricyclic antidepressant overdose, 155-163
- Effectiveness of hemoperfusion, evaluation of, 1185-1198
- Electrical properties, of myelinated nerve fiber, effects of methylmercury on, 1319-1325
- Electroencephalograms (EEG), spontaneous and evoked, ethanol-induced, 549-563
- Emesis, emergency induction of using liquid detergents, 277-282

- Emetic agents. See Apomorphine; Ipecac; Liquid detergents
- Emile, J., 1285-1289
- EMIT. See Enzyme Multiplied Immunoassay Technique (EMIT)
- Encephalopathies, epidemiological studies of, following bismuth administration, 1277-1283
- Encephalopathy, bismuth, ostearticular complications in, 1285-1289
- Endogenous compounds, in rats, effect of bismuth metabolism on, 1291-1298
- Enterogastric cycle, of hydroquinidine, 659-662
- Envenomation, following bite of wandering garter snake, 573-579
- Environmental Chemicals Data and Information Network (ECDIN), development of toxicological files in, 1169-1181
- Enzyme immunoassay technique (EMIT)
- amphetamine antibody, relationship between and molecular structure of various amphetamine-related substances, 91-110
  - comparison of and HPLC for quantification of quinidine in serum, 291-297
- Epidemiological study
- in childhood poisoning, 1145-1148
  - in childhood poisoning
  - 10-year study of, 1149-1156
  - of encephalopathies following bismuth administration, 1277-1283
- Epidemiological survey, 10-year, of intoxications in Florence, Italy, 1157-1162
- Erythrocytes, osmotic fragility of in cow calves affected by lantana poisoning, 25-35
- Escourolle, R., 1405-1409
- Esponda, A. C., 635-641
- Essex, E., 1225-1233
- Ethanol
- effect of on production and secretion of testosterone by isolated perfused rat testis, 149-154
  - effect of on spontaneous and evoked EEG, 549-563
- Ethylene glycol, effect of activated charcoal hemoperfusion on dogs poisoned with, 1105-1115
- Exposure, acute, to aliphatic nitriles, inhalation toxicology of, 991-1003
- Exposure sources, of cyanide poisoning, 363-383
- Eye movements, smooth pursuit (SPEM), among storage battery workers, 1269-1276
- F
- Fantozzi, R., 1157-1162
- Fasoli, R. A., 155-163
- Fatal hydantoin syndrome. See Diphenylhydantoin (DP)
- Fatal ingestion, of mercuric chloride, 261-266
- Fatalities
- from cocaine overdose in Los Angeles County, 895-905
  - paraquat, toxicological and pathological studies following, 915-928
- Fatality
- 4-bromo-2,5-dimethoxyamphetamine, 267-271
  - chloroquine overdose, 959-963
- Faulkner, T. P., 581-597
- Faure, J., 1519-1527
- Federici, A., 1269-1276
- Fera, L., 1387-1393
- Fernandez, G., 635-641
- Fetal drug levels. See Placental transfer
- Fetal exposure, to methylmercury, effects of, related to maternal



- [Fetal exposure]  
 hair mercury concentrations, 1311-1318  
 Fetus, effect of maternal smoking on carboxyhemoglobin levels and acid-base balance of, 165-168  
 Fitzpatrick, G., 945-947  
 Fluoridation, of drinking water, excessive, mass intoxication from, 531-541  
 Foa, V., 1335-1342; 1463-1474; 1475-1484  
 Fochtman, F. W., 261-266  
 Foerster, E., 471-479  
 Folate analogue, use of in treatment of toxic reactions to methyl alcohol, 241-243  
 Foreman, J., 291-297  
 Forensic investigations, of tissue distributions, use of digoxin radioimmunoassay in, 887-893  
 Foulon, G., 1277-1283  
 Fournier, P. E., 1213-1223  
 Friedenber, R., 619-633  
 Frontali, N., 1357-1367  
 Froom, J., 743-751  
 Fungicides. See Methylmercury

## G

- Gaddis, G. P., 693-711  
 Gaffuri, E., 1377-1385  
 Gallanosa, A. G., 441-449; 663-678  
 Galletti, A., 1148-1156  
 Galliot, M., 1213-1223  
 Gangliosides, effect of on experimentally induced carbon disulfide neuropathy, in the rat, 1475-1484  
 Gantner, G. E., 141-147  
 Garriott, J. C., 471-479  
 Gas-liquid chromatography alkali flame ionization detection (GLC-AFID), use of for analysis of plasma in cases of psychotropic drug overdose, 713-729  
 Gas-liquid chromatography-mass spectrometers (GLC-MS), use of for analysis of plasma in cases of psychotropic drug overdose, 713-729  
 Gastric lavage, efficacy of, 581-597  
 Gavalier, J. S., 149-154  
 Gibson, J., 619-633  
 Gillespie, T., 865-871  
 Gillet, B., 493-499  
 Giron, G. P., 1129-1131; 1133-1143  
 Giunta, F., 1129-1131; 1133-1143  
 Giusti, P., 1129-1131; 1133-1143  
 Glaucoma treatment, use of marijuana for, 245-246  
 Glauser, F. L., 155-163  
 GLC-AFID. See Gas-liquid chromatography alkali flame ionization detection (GLC-AFID)  
 GLC-MS. See Gas-liquid chromatography mass spectrometers  
 Glue neuropathy, H-reflex behavior in, 1369-1375  
 Glue solvents, in shoe manufacture, neurotoxicity and metabolites of aliphatic hydrocarbons C<sub>4</sub>-C<sub>7</sub> used as, 1357-1367  
 Gomolin, I., 757-760  
 Gonella, G., 1387-1393  
 Govaerts-Lepicard, M., 1145-1148  
 Graves, M. H., 945-957  
 Green, H. M., 1099-1104  
 Green, V. A., 489-491  
 Grieseker, D. R., 277-282  
 Griffiths, W. C., 291-297  
 Gross-Selbeck, E., 1247-1256  
 Gross-Selbeck, M., 1247-1256  
 Guarcini, A. M., 1357-1367  
 Guardia, L., 1343-1353  
 Guerbois, H., 1277-1283  
 Guerit, J. M., 1257-1267

## H

- Hair mercury, maternal, effects of fetal exposure to methylmercury related to concen-

- [Hair mercury] trations of, 1311-1318
- Hallucinogenics. See 4-bromo-2,5-dimethoxyamphetamine
- Halstead, B. W., 1-24
- Hanakago, R., 1427-1434
- Hanenson, I. B., 401-406
- Hanocq, M., 391-400
- Hansteen, V., 679-692
- Harpin, M. L., 1405-1409
- Harris, J. C., 1027-1032
- Harrison, K. L., 165-168
- Hashish smoking, acetylcholinesterase activity after, 385-387
- Hassan, R. M., 401-406
- Hauw, J. J., 1405-1409
- Health and Human Resources, Department of, report on carcinogens from, 875-877
- Helliwell, M., 1225-1233
- Hematological studies, of osmotic fragility of erythrocytes and bilirubin content of cow calves affected by lantana poisoning, 25-35
- Hemodialysis, used for acetaminophen detoxification, 431-439
- Hemolytic anemia, associated with phenacetin abuse, 493-499
- Hemoperfusion  
activated charcoal, effect of on dogs poisoned with barbitol or ethylene glycol, 1105-1115  
adsorbents in, evaluation of, 1199-1211  
biological evaluation of, in acute poisoning, 1213-1223  
charcoal, effect of on catecholamine levels in severely intoxicated patients, 127-131  
evaluation of effectiveness of, 1185-1198  
in late paracetamol poisoning, 1225-1233
- n-Heptane, effect of on peripheral nerve fiber of the rat, compared to n-pentane and n-hexane, 1395-1402
- Herbicides. See 2,4-D, Mecoprop, Paraquat
- Heroin substitute, use of pentazocene/tripelennanamine combination as, 1117-1123
- n-Hexane  
central and peripheral neuropathy caused by, morphological changes in, 1387-1393  
commercial, neurotoxic metabolites of, in urine of shoe factory workers, 1377-1385  
effect of on peripheral nerve fiber of the rat, compared to n-pentane and n-heptane, 1395-1402  
neuropathy. See Glue neuropathy  
peripheral neuropathy associated with chronic low exposure to, 515-519
- High performance liquid chromatography (HPLC)  
analysis of phenylethylamines by, 391-400  
comparison of with EMIT for quantification of quinidine in serum, 291-297
- High performance thin-layer chromatography (HPTLC), analysis of phenylethylamines by, 391-400
- Hisanaga, N., 1395-1402
- Hoellinger, H., 565-571
- Holbrook, M. L., 247-259
- Home, hazards of ipecac in, 969-972
- Hospital records. See Statistical-epidemiological form
- Howden, M. E. H., 813-863
- HPLC. See High performance liquid chromatography (HPLC)
- HPTLC. See High performance thin-layer chromatography (HPTLC)
- H-reflex behavior, in glue neuropathy, 1369-1375
- Hubbell, F. A., 425-430

- Hubert, J. P., 1453-1462  
 Hurst, H. E., 119-125  
 Hydrofluoric acid burns, effect of calcium salts compared with magnesium salts in treatment of, 1027-1032  
 Hydroquinidine, enterogastric cycle and intoxication with, 659-662  
 Hydroxocobalamin, treatment of cyanide intoxication with, 1519-1527

I

- Impaired driver, testing for sedative-hypnotic drugs in, 945-957  
 Inhalation toxicology, of acute exposure to aliphatic nitriles, 991-1003  
 Injection, intravenous, of crude tract of marijuana, toxicity of, 353-366  
 Insecticides, organophosphate chlorinated, and carbamate, use of RPTLC for separation of, 731-735  
 correlation of serum pseudocholinesterase and clinical course in patients poisoned with, 401-406  
 See also Dichlorvos  
 International program, for control of chemical hazards, 761-762  
 Intoxication  
   acute  
     noninteractive emergency consultation for, 133-140  
     statistical-epidemiological form for, 1129-1131  
   epidemic, role of antipoison centers in preventing, 1163-1167  
   in Florence, Italy, 10-year epidemiological study of, 1157-1162  
   occupational, of phencyclidine in law enforcement personnel, 1015-1020

- Intracellular interaction, of arsenite in rabbits, 1335-1342  
 Intravenous administration, of propoxyphene napsylate, effect of, 1099-1104  
 Iodine, tissue, ion electrode procedure for determining following iodine poisoning, 807-811  
 Iodine poisoning, ion electrode procedure for determination of iodine in tissues following, 807-811  
 Ion electrode procedure, for determination of iodine in tissues following iodine poisoning, 807-811  
 Ipecac, hazards of in the home, 969-972  
 Isoflurophate, regional differences in brain soluble AChE after poisoning by in rats, 1443-1451

J

- Jacobsen, D., 679-692  
 Jarboe, C. H., 119-125  
 Joanny, P., 1485-1498  
 Johnson, G. R., 907-909  
 Johnston, C., 189-209  
 Jouglard, J., 1163-1167; 1485-1498  
 Juarez, L., 471-479

K

- Kahn, R. S., 527-530  
 Kawiorski, S., 1291-1298  
 Kimbrough, R. D., 481-487  
 Kitoh, J., 1395-1402  
 Kjellin, K. G., 1237-1245  
 Klein-Schwartz, W., 283-290  
 Knudsen, K., 679-692  
 Komsta-Szumaska, E., 1327-1334  
 Kishy, K. M., 521-525  
 Koup, J. R., 111-117  
 Kuo, M. C., 945-957

## L

- Laboratory, cost effective  
drug screening in, 459-469
- La Fisca, S., 1129-1131
- Lafontaine, A., 1257-1267
- Lang, J. M., 493-499
- Lantana, review of toxicity of  
in animals, 1077-1094
- Lantana poisoning, osmotic  
fragility of erythrocytes  
and plasma bilirubin con-  
tent of cow calves affected  
by, 25-35
- La Pierre, G., 793-796
- Lathyrism. *See* Chickling pea
- Lauwerys, R., 1067-1075; 1257-  
1267
- Law enforcement personnel,  
occupational intoxication  
and persistence of phen-  
cyclidine in, 1015-1020
- Lawson, A. A. H., 1005-1014
- Lead, changes in operant be-  
havior of rats exposed to,  
at the no-effect level, 1247-  
1256
- Lead arsenate, ingestion of by  
children, 489-491
- Lead neurotoxicity. *See* Neuro-  
toxicity, lead
- Lead poisoning, criteria for  
selective screening for, 743-  
751
- Lead workers. *See* Storage  
battery workers
- Ledda, F., 1157-1162
- Lee, C. S., 431-439
- Lesne, M., 659-662
- Leung, W. J., 85-90
- Levy, G., 111-117
- Lipidosis, induced by perhexi-  
line maleate, ultrastructural  
and biochemical changes in  
human peripheral nerve and  
tissue culture in, 1405-1409
- Lopanoic acid, acute thrombocyto-  
penia following oral chole-  
cystography with, 221-224

- Lovejoy, F. H., Jr., 521-525
- Luciani, G., 1021-1026
- Lukash, L., 731-735
- Lye poisoning, severe, metabolic  
acidosis in, 225-230

## M

- MacDonald, B. J., 945-957
- Maes, R. A., 1199-1211
- Magnesium citrate, effect of on  
the in vitro adsorption of  
aspirin by activated charcoal,  
793-796
- Magnesium salts, effectiveness  
of compared to calcium salts  
in treatment of hydrofluoric  
acid burns, 1027-1032
- Mahieu, P., 1067-1075
- Majeed, M. A., 1311-1318
- Makkar, H. P. S., 25-35; 1077-  
1094
- Manganese, exposure of to weld-  
ers, 407-416
- Mannaioni, P. F., 1021-1026;  
1157-1162
- Manning, T. J., 731-735
- Manoguerra, A. S., 527-530; 803-  
805
- Manzo, L., 1343-1353
- Marfante, E., 1335-1342
- Marbury, T. C., 431-439
- Margio, M., 1129-1131; 1133-  
1143
- Marijuana  
and myocardial infarction, 389-  
390  
crude extract of, toxicity of in-  
travenous injection of, 353-  
366  
use of for treatment of glaucoma,  
245-246
- Marka, C., 1519-1527
- Maroni, M., 1463-1474; 1475-  
1484
- Marsh, D. O., 1311-1318
- Martin-Bouyer, G., 1277-1283
- Masini, E., 1021-1026; 1157-  
1162

- Mass screening, of phencyclidine in urine by radioimmunoassay and TLC, 85-90
- Mathew, P. M., 169-173
- Matthews, P. A., 813-863
- McCabe, C., 873-874
- McCarron, M. M., 693-711
- McCulloch, D. K., 1005-1014
- McFarland, J., 973-977
- McFarland, M. F., III, 973-977
- McGilveray, I. J., 713-729
- McLean, M. C., 713-729
- Mechanism of action, of marine plant and animal poisons, 1-24
- Mechanism of toxicity, of pentazocine and pyribenzamine in morphine-dependent subjects, 175-188
- Mechlorethamine. See Nitrogen mustard
- Mecoprop, clinical features and management of poisoning with, 273-276
- Medical toxicology, current literature on, 231-239
- Mendiola, I., 471-479
- Meneguz, A., 1443-1451
- Meprobamate, pharmacokinetics of, 757-760
- Mercuric chloride, fatal ingestion of, 261-266
- Mercury  
  effect of on psychological behavior of workers at an extraction plant, 1299-1309  
  organ and subcellular distribution of in rats in the presence of cadmium, zinc, copper, and sodium selenite, 1327-1334
- Metabolic fate, of arsenite in rabbits, 1335-1342
- Metabolism, brain energy, effect of oxygen on in mice, at increased pressure, 1499-1511
- Metabolites, of aliphatic hydrocarbons C<sub>4</sub>-C<sub>7</sub> used as glue solvents in shoe manufacture, 1357-1367
- Methadone, relationship between structure of and affinity for EMIT methadone antibody, 783-792
- Methionine, adsorption of by activated charcoal, 283-290
- Methyl alcohol, use of folate analogue in treatment of toxic reactions to, 241-243
- Methylmercury  
  effects of fetal exposure to, related to maternal hair mercury concentrations, 1311-1318  
  effects of on electrical properties of myelinated nerve fiber, 1317-1325
- Meulders, M., 1257-1267
- Michalek, H., 1443-1451
- Michalodimitrakakis, M., 385-387; 389-390; 1095-1097
- Midha, K. K., 713-729
- Millet, Y., 1485-1498
- Mirahmadi, K., 425-430
- Misciagna, G., 1269-1276
- Misonidazole, assessment of neurotoxicity of in the rat, 1411-1426
- Mitolo-Chieppa, D., 1319-1325
- Moerman, E. J., 127-131
- Moffett, B. J., 1411-1426
- Molecular structure, of amphetamine-related substances, relationship between and EMIT amphetamine antibody, 91-110
- Molle, L., 391-400
- Montgomery, S., 501-510
- Morer, T., 1285-1289
- Moroni, F., 1157-1162
- Morphine. See Analgesics, narcotic
- Morphine-dependent subjects, mechanism of toxicity and rationale for use of combination of pentazocine and pyribenzamine in, 175-188
- Morphological changes, in central and peripheral neuropathy caused by n-hexane, 1387-1393

Morphological study of degeneration and regeneration in carbon disulfide neuropathy in rats, 1463-1474

Morris, D. L., 663-678

Muhalwas, K., 425-430

Mussini, J.-M., 1405-1409

Muther, R. S., 615-618

Myers, G. J., 1311-1318

Myocardial infarction, and marijuana, 389-390

## N

Nakamura, G. R., 895-905

Naloxone, comparison of with clonidine for opiate detoxication, 1021-1026

National Toxicology Program, 753-756

Negi, S. S., 25-35; 1077-1094

Nephrotoxicity, of dimethylsulfoxide, 615-618

Nerve, peripheral, human, ultrastructural and biochemical changes in, in lipidosis induced by perhexiline maleate, 1405-1409

Nerve fiber

myelinated, effect of methylmercury on electric properties of, 1319-1325

peripheral, rat, effect of n-hexane on, compared to n-pentane and n-heptane, 1395-1402

Neurological disease, trace elements in cerebrospinal fluid in, 1237-1245

Neuromuscular blockade, prolonged, following administration of physostigmine and succinylcholine, 803-805

Neuropathy

autonomic and peripheral, diabetes mellitus associated with after Vacor rodenticide poisoning, 441-449

[Neuropathy]

central and peripheral, caused by n-hexane, morphological changes in, 1387-1393

experimentally induced carbon disulfide, effect of gangliosides on, in the rat, 1475-1484

peripheral

associated with chronic low level exposure to n-hexane, 515-519

late, due to intoxication by organophosphorus compounds, 1453-1462

See also Neurotoxic metabolites

Neurotoxicity

lead, in asymptomatic children living near an ore smelter, 1257-1267

of aliphatic hydrocarbons used as glue solvents in shoe manufacture, 1357-1367

of misonidazole in the rat, 1411-1426

relationship between and cardiac toxicity following overdose of tricyclic antidepressants, 599-613

Neurotoxic metabolites, of commercial hexane in urine of shoe factory workers, 1377-1385

Neurotoxicology, international congress on, 1237-1353; 1357-1527

Neurotoxins, nonprotein, review of, including tetrodotoxin, saxitoxin and batrachotoxin, 813-863

Neutron activation analysis, determination of tin in blood and urine by, 1343-1353

Neutropenia, following acute chlorpromazine ingestion, 797-801

Nguyen-Hoang-Nam, 565-571

Nicotra, M. B., 599-613

- Niederman, L. G., 969-972  
 Nitrogen mustard, in vivo interaction between and narcotic analgesics, 451-458  
 Noall, M. W., 599-613  
 Node of Ranvier. See Nerve fiber, myelinated  
 No-effect level, of lead, changes in operant behavior of rats exposed to, 1247-1256  
 Noguchi, T. T., 895-905  
 Noradrenaline, in daunomycin cardiotoxicity, 1435-1440

O

- Oberling, F., 493-499  
 Oderda, G. M., 283-290  
 Oil of hyssop. See Plant oils, essential  
 Oil of sage. See Plant oils, essential  
 Okonek, S., 225-230; 1185-1198  
 Olson, D. A., 581-597  
 Ono, Y., 1395-1402  
 Operant behavior, of rats exposed to no-effect level of lead, changes in, 1247-1256  
 Opiate detoxication, comparison between clonidine and naloxone for, 1021-1026  
 Ore smelter, lead neurotoxicity in asymptomatic children living near, 1257-1267  
 Organ distribution, of mercury in rats, in the presence of cadmium, zinc, copper, and sodium selenite, 1327-1334  
 Organophosphorus compounds late neuropathy due to intoxication by, 1453-1462  
See also Isofluorophate  
 Osteoarticular complications, in bismuth encephalopathy, 1285-1289  
 Overdose  
   papaverine, lactic acidosis as a complication of, 417-423

- [Overdose]  
   pharmacokinetics of acetaminophen after, 111-117  
 Oxygen, effect of on brain energy metabolism in mice, at increased pressure, 1499-1511

P

- Pahl, M. V., 353-366  
 Pal, R. N., 25-35  
 Papaverine, lactic acidosis as a complication of overdose of, 417-423  
 Paracetamol, hemoperfusion in late poisoning by, 1225-1233  
 Paraquat, toxicologic and pathological studies following fatalities due to, 915-928  
 Parchas, S., 1095-1097  
 Parenteral solution, of apomorphine, 763-772  
 Pathological studies, following fatalities due to paraquat poisoning, 915-928  
 Pathophysiology, of cyanide poisoning, 367-383  
 Patients, severely intoxicated, effect of charcoal hemoperfusion on catecholamine levels in, 127-131  
 PCC. See 1-Piperidinocyclohexanecarbonitrile (PCC)  
 PCP. See Phencyclidine (PCP)  
 Penning, W., 1169-1181  
 1,1,2,3,3,-Pentafluoro-3-chloropropene, in an unmarked gas tank, 481-487  
 n-Pentane, effect of on peripheral nerve fiber of the rat, compared to n-hexane and n-heptane, 1395-1402  
 Pentazocine and pyribenzamine, mechanism of toxicity and rationale for use of combination of in morphine-dependent subjects, 175-188  
 Pentazocine/tripelenamine, use of

- [Pentazocine/tripelenamine]  
as a heroin substitute, 1117-1123
- Pentel, P., 543-548
- Penthidine. See Analgesics, narcotic
- Perbellini, L., 1357-1367; 1377-1385
- Perhexiline maleate, ultrastructural and biochemical changes in human peripheral nerve and tissue culture in lipodosis induced by, 1405-1409
- Peritoneal dialysis, effectiveness of for treatment of thallium ingestion, 521-525
- Persistence, of phencyclidine in law enforcement personnel, 1015-1020
- Pesce, A. J., 401-406
- Pesticides. See Lead arsenate
- Pesticide pastes, yellow phosphorus poisoning from, 693-711
- Peterson, R. G., 211-220; 247-259
- Petito, C. K., 515-519
- Pharmacokinetics  
elimination, following fatal amitriptyline intoxication, 119-125  
of acetaminophen after overdose, 111-117  
of meprobamate, 757-760
- Phenacetin abuse, hemolytic anemia and sulfhemoglobinemia associated with, 493-499
- Phencyclidine (PCP)  
effect of structure changes on reactivity of, 1033-1041  
illicit, color test for detection of PCP in, 737-742  
mass screening and confirmation of in urine by radioimmunoassay and TLC, 85-90  
occupational intoxication and persistence of in law en-  
[Phencyclidine (PCP)]  
forcement personnel, 1015-1020  
stability of in stored blood, 929-934
- Phenotiazines, toxicological properties of, related to xylazine, 663-678
- Phenylethylamines, analysis of by HPTLC and HPLC, 391-400
- Phosphorus, yellow, poisoning with from pesticide pastes, 693-711
- Physiopathological aspects, of cyanide intoxication, 1519-1527
- Physostigmine, prolonged neuromuscular blockade after administration of and succinylcholine, 803-805
- Phytotoxicology, marine, defined, 1-24
- Picchi, O., 1463-1474
- Picchioni, A. L., 865-871
- Pichon, J., 565-571
- Pietra, R., 1343-1353
- 1-Piperidonocyclohexanecarbonitrile (PCC), color test for detection of in illicit phencyclidine, 737-742
- Pitts, F. N., 1015-1020
- Pizzirani, E., 1133-1143
- Placental barrier. See Placental transfer
- Placental transfer, of narcotic analgesics, 911-914
- Plant oils, essential, CNS toxicity of, 1485-1498
- Plasma analysis, use of GLC-MS and GLC-AFID for, in cases of psychotropic drug overdose, 713-729
- PN. See Propoxyphene napsylate
- Pneumonia, fatal chemical, from 1,1,2,3,3-pentafluoro-3-chloropropene in an unmarked gas tank, 481-487
- Podophyllum, accidental ingestion



- [Podophyllum]  
of, 973-977
- Poggi, P., 1387-1393
- Poisoning  
acute, biological evaluation  
of hemoperfusion in, 1213-1223  
clonidine, in children, 169-173  
nonaccidental, in two-month-child, 37-40
- Poisons, marine plant and animal, chemical structure, toxicity and mechanism of action of, 1-24
- Polato, D., 1133-1143
- Polklis, A., 141-147
- Pollet, S., 1405-1409
- Pool, J. L., 599-613
- Potentiation, of nitrogen mustard toxicity and narcotic analgesics, 451-458
- Powers, D., 425-430
- Pozio, G., 1269-1276
- Pregnancy  
human, effects of maternal smoking on the outcome of, 189-209  
See also Fetus
- Pressure, increased, effect of oxygen on brain energy metabolism in mice, at, 1499-1511
- Prevention, of epidemic intoxications role of antipoison centers in, 1163-1167
- Propoxyphene napsylate (PN), effect of intravenous administration of, 1099-1104
- Pseudocholinesterase, serum, correlation of and clinical course in patients poisoned with organophosphate insecticides, 401-406
- Psychological behavior, of workers at an extraction plant, effect of mercury on, 1299-1309
- Psychotropic drugs, overdose of, use of GLC-AFID and GLC-[Psychotropic drugs]  
MS for analysis of plasma in cases of, 713-729
- Puca, F. M., 1269-1276
- Pyrilamine, tissue concentrations and methods for quantification following fatality due to, 907-909
- Q
- Quantification  
of barbiturates by ultraviolet spectrophotometry, 879-885  
of cannabinoids in biological fluids, 565-571  
of chlorpheniramine following fatal ingestion, 941-943  
of pyrilamine following dose, 907-909  
of quinidine in serum, comparison of EMIT and HPLC for, 291-297
- Quinidine, comparison of EMIT and HPLC for quantification of in serum, 291-297
- R
- Rade, J., 1335-1342
- Radioimmunoassay (RIA)  
activity of barbiturates, relationship between structure and, 317-352  
digoxin, use of in forensic investigations of tissue distribution, 887-893  
mass screening and confirmation of phencyclidine in urine by and TLC, 85-90  
relationship between structure and reactivity of amines with amphetamine antibody of, 299-316
- Radiosensitizing drug. See Mis-  
onidazole
- Ragle, J. L., 929-934
- Rall, D. P., 753-756
- Rationale for use, of combination

- [Rationale for use]  
 of pentazocine and pyri-  
 benzamine in morphine-  
 dependent subjects, 175-  
 188
- Rat testis, isolated perfused,  
 effect of ethanol on produc-  
 tion and secretion of testos-  
 terone by, 149-154
- Reactivity, phencyclidine, ef-  
 fect of structure changes  
 on, 1033-1041
- Reboa, E., 1149-1156
- Reed, D., 911-914; 941-943
- Reikvam, A., 679-692
- Reinhold, J. H., 813-863
- Renal failure, acute, tricyclic-  
 induced, 425-430
- Reuber, M. D., 47-84
- Reverse-phase thin-layer chro-  
 matography (RPTLC), use  
 of for separating organo-  
 phosphate, chlorinated, and  
 carbamate insecticides, 731-  
 735
- Reynaert, M., 659-662
- RIA. See Radioimmunoassay  
 (RIA)
- Richelmi, P., 1343-1353
- Riley, J., 41-45
- Rivera, M., 599-613
- Roberts, D., 489-491
- Robinson, A. G., 165-168
- Rockoff, S., 935-939
- Rodenticide  
 Vacor, diabetes mellitus asso-  
 ciated with autonomic and  
 peripheral neuropathy after  
 poisoning by, 441-449  
 See also Pesticide pastes;  
 Thallium
- Roels, H. A., 1067-1075; 1257-  
 1267
- Rooney, P. A., 915-928
- Rose, G. P., 1411-1426
- Rota, E., 1463-1474; 1475-1484
- RPTLC. See Reverse-phase  
 thin-layer chromatography  
 (RPTLC)
- Ruff, R. L., 515-519
- Rumack, B. H., 211-220; 247-  
 259; 1027-1032
- Russell, L. A., 915-928
- S
- Sabbioni, E., 1335-1342; 1343-  
 1353
- St. Louis, City and County,  
 survey of drug deaths in,  
 1977-1979, 141-147
- Salicylate toxicity, following  
 therapeutic doses in young  
 children, 247-259; 1125-1126
- Saltari, M. C., 1357-1367
- Salvage cylinders, potential haz-  
 ards of, 481-487
- Samuels, B., 41-45
- Sangster, G., 1005-1014
- Saxitoxin (STX), review of and  
 other nonprotein neurotoxins,  
 813-863
- Scelsi, R., 1387-1393
- Schafer, G., 1499-1511
- Scherrmann, J. M., 565-571
- Screening, selective, criteria for,  
 lead poisoning, 743-751
- Sedgwick, P., 887-893
- Seiff, K., 353-366
- Selenium, toxicity of in children  
 with cystic fibrosis, 211-220
- Self-poisoning, survey of in W.  
 Fife, Scotland, 1970-1979,  
 1005-1014
- Separation, of organophosphate,  
 chlorinated, and carbamate  
 insecticides using RPTLC,  
 731-735
- Serum, comparison of EMIT and  
 HPLC for quantitation of  
 quinidine in, 291-297
- Sharma, O. P., 25-35; 1077-1094
- Shaw, R. F., 965-968
- Sheng, P., 401-406
- Sherman, A., 743-751
- Shipe, J. R., 663-678
- Shukla, G. S., 407-416
- Simon, F. A., 37-40

- Singh, J. M., 41-45  
 Sloris, L., 543-548  
 Skuterud, B., 679-692  
 Slattery, J. T., 111-117  
 Smoking, maternal  
     effect of on carboxyhemoglobin levels and acid-base balance of fetus, 165-168  
     effects of on the outcome of human pregnancies, status report, 189-209  
 SMON. *See* Subacute myelopticonuropathy (SMON)  
 Snake bite, by wandering garter snake, envenomation following, 573-579  
 Snidow, J., 797-801  
 Snodgrass, W., 211-220; 247-259  
 Sobriety, (editorial), 873-874  
 Sodium selenite, organ and subcellular distribution of mercury in rats in the presence of, 1327-1334  
 Sodium sulfate, influence of on antidotal effect of activated charcoal and effect of as a cathartic, 865-871  
 Sohn, D., 459-469  
 Soine, W. H., 737-742  
 Sokol, R., 211-220  
 Soldani, G., 1435-1440  
 Solvent abuse, measurement of toluene in blood and breath in cases of, 471-479  
 Solvents. *See* n-Heptane; n-Hexane; n-Pentane; Toluene  
 Spagnolo, A., 1357-1367  
 Specchio, L. M., 1269-1276  
 Specificity, of the EMIT drug abuse urine assay, 1043-1065  
 Spectrophotometry, ultraviolet (UV), differentiation and quantitation of barbiturates by, 879-885  
 SPEM. *See* Eye movements, smooth pursuit  
 Spiehler, V. R., 887-893  
 Spyker, D. A., 441-449; 663-678  
 Srivastava, R. S., 407-416  
 Stability, of phencyclidine in stored blood, 929-934  
 Statistical-epidemiological form application of, 1133-1143  
     for acute intoxication cases, 1129-1131  
 Status report, on the effects of maternal smoking on the outcome of human pregnancies, 189-209  
 Steiner, R. W., 803-805  
 Steinmetz, M. D., 1485-1498  
 Sterling, M., 353-366  
 Stiles, M. L., 1043-1065  
 Stokes, J., 417-423  
 Stone, B. E., 915-928  
 Storage battery workers, smooth pursuit eye movements among, 1269-1276  
 Strantz, I. H., 501-510  
 Stratford, I. J., 1411-1426  
 Street drug identification program, Los Angeles County/DHS, 501-510  
 Streifler, M., 1513-1517  
 Structure  
     cocaine, relationship between and affinity for RIA benzoylecgonine antibody, 773-782  
     methadone, relationship between affinity for EMIT methadone antibody, 783-792  
     of benzodiazepine, relationship between and affinity for EMIT oxazepam antibody, 643-655  
     phencyclidine, effect of changes in on reactivity of phencyclidine, 1033-1041  
     relationship between and reactivity of amines with RIA amphetamine antibody, 299-316  
     relationship between and RIA

## [Structure]

- activity of barbiturates, 317-352
- STX. See Saxitoxin (STX)
- Subacute myelo-optic neuropathy (SMON), clioquinol intoxication in the treatment of, 1427-1434
- Subcellular distribution, of mercury in rats in the presence of cadmium, zinc, copper, and sodium selenite, 1327-1334
- Succinylcholine, prolonged neuromuscular blockade following administration of and physostigmine, 803-805
- Sugiura, Y., 1395-1402
- Sulfhemoglobinemia, associated with phenacetin abuse, 493-499
- Sullivan, J. B., Jr., 211-220
- Sultan, T. R., 367-383
- Szymanska, J. A., 1291-1298

## T

- Takeuchi, Y., 1395-1402
- Tarateta, A., 1149-1156
- Ten Eyck, R. P., 367-383
- Teratogenic effects, of diphenylhydantoin (DP), 1095-1097
- Testing, for sedative-hypnotic drugs in the impaired driver, 945-955
- Testosterone, effect of ethanol on production and secretion of by isolated perfused rat testis, 149-154
- Tetrodotoxins (TTX), review of and other nonprotein neurotoxins, 813-863
- Thallium, ingestion of, effectiveness of peritoneal dialysis and potassium chloride diuresis for treatment of, 521-525

- Thallium poisoning, management of, 979-990
- Therapeutic agents. See Acetaminophen; Amitriptyline; Amphetamine; Analgesics, narcotic; Antidepressants, tricyclic; Apomorphine; Aspirin; Barbiturates; Carbamazepine; Chloroquine; Chlorpheniramine; Chlorpromazine; Clioquinol; Clonidine; Clotrimazole; Daunomycin; Digtoxin; Digoxin; Dimethylsulfoxide; Diphenylhydantoin; Hydroquinidine; Ipecac; Misonidazole; Naloxone; Perhexiline; Phenylethylamine; Pyrilamine; Salicylate toxicity; Ticrynafen
- Therapeutic doses, salicylate toxicity following, in young children, 247-259; 1125-1126
- Therapeutic possibilities, for acute digitoxin poisoning, 679-692
- Thiazolidine carboxylic acid, acute poisoning with, 527-530
- Thomas, R., 353-366
- Thompson, D. F., 979-990
- Thorazine. See Chlorpromazine
- Thrombocytopenia, acute, following oral cholecystography with lopanoic acid, 221-224
- Thun, M., 481-487
- Ticrynafen, acute renal failure induced by, 425-430
- Tikriti, S., 1311-1318
- Tin, determination of in the blood and urine by neutron activation analysis, 1343-1353
- Tissue concentrations of chlorpheniramine following fatal ingestion, 941-943 of pyrilamine following fatal dose, 907-909
- Tissue culture, ultrastructural and biochemical changes in, in lipidosis induced by per-

- [Tissue culture]  
 hexiline maleate, 1405-1409  
 Tissue distributions, use of digoxin radioimmunoassay in forensic investigations of, 887-893  
 TLC. See Chromatography, thin-layer (TLC)  
 Tognetti, P., 1485-1498  
 Toluene, measurement of in blood and breath in cases of solvent abuse, 471-479  
 Town, W., 1169-1181  
 Toxicity  
 of Lantana in animals, review of, 1077-1094  
 of marine plant and animal poisons, 1-24  
 Toxicological files, development of in ECDIN, 1169-1181  
 Toxicological studies, following fatalities due to paraquat poisoning, 915-928  
 Toxicology, in Uruguay, 635-641  
 Toxicology Program, National, 753-756  
 Trace elements, in cerebrospinal fluid in neurological diseases, 1237-1245  
 Tranquilizers, animal. See Phen-cyclidine (PCP); Xylazine  
 Treadwell, T. R., 417-423  
 Treatment, of cyanide poisoning, 367-383  
 Treuting, J. J., 37-40  
 Trotter, A. T., 693-711  
 Troutman, W. G., 277-282  
 "T's and Blues". See Pentazocine and pyribenzamine  
 "T's and B's". See Pentazocine/tripelenamine  
 TTX. See Tetrodotoxins (TTX)
- U
- Ultrastructural study, of degeneration and regeneration in
- [Ultrastructural study]  
 carbon disulfide neuropathy in rats, 1463-1474  
 Uono, M., 1427-1434  
 Urine  
 determination of tin in by neutron activation analysis, 1343-1353  
 of shoe factory workers, neurotoxic metabolites of commercial hexane in, 1377-1385  
 mass screening and confirmation of phencyclidine in, 85-90  
 Uruguay, toxicology and clinical toxicology in, 635-641  
 Utley, K. O., 317-352  
 UV spectrophotometry. See Spectrophotometry, ultra-violet (UV)
- V
- Van Damme, M., 391-400  
 Van Heijst, A. N. P., 1199-1121  
 Van Thiel, D. H., 149-154  
 Vaziri, N. D., 353-366; 417-423; 425-430  
 Verbiese-Genard, N., 391-400  
 Verpooten, G. A., 127-131  
 Vest, D. K., 573-579  
 Veterinary preparations. See Barbiturate preparations, veterinary  
 Vincent, F., 1519-1527  
 Vincent, M., 1519-1527  
 Vogel, S. N., 367-383
- W
- Walberg, C. B., 879-885  
 Waldbott, G. L., 531-541  
 Wang, L. H., 431-439  
 Wasserman, G. S., 489-491  
 Webb, D., 713-729  
 Weber, M., 425-430  
 Wecht, C. H., 261-266  
 Weingarten, H. L., 959-963

Welders, exposure of to man-  
ganese, 407-416

Wells, W. D. E., 273-276

White, J. M., 945-957

Wiersema, S. J., 945-957

Willhite, C. C., 991-1003

Williams, J., 489-491

Wilson, A., 353-366

Winek, C. L., 261-266; 267-  
271

Wise, G. W., 489-491

Wolfson, N., 41-45

#### Workers

extraction plant, effect of  
mercury on psychological  
behavior of, 1299-1309

shoe factory, neurotoxic  
metabolites of commercial  
hexane in, 1377-1385

Wright, N., 169-173; 273-276

#### X

Xylazine, overdose of, report

#### [Xylazine]

of in a human and review  
of toxicological properties  
of clonidine, phenothiazines  
and tricyclic antidepressants,  
663-678

#### Y

Yago, L. S., 1015-1020

Yang, F. C., 317-352

Yeoman, W. B., 273-276

#### Z

Zelazowski, A. J., 1291-1298

Zilm, D. H., 549-563

Ziminski, K. R., 731-735

Zinc, organ and subcellular dis-  
tribution of mercury in rats  
in the presence of, 1327-  
1334

Zootoxicology, marine, defined,  
1-24

